



# PHOENIX TECHNOLOGY SERVICES

**MD**  
**1:240**  
**Feet**

Client: **FOT**  
Well Name: **512882**  
Country: **Doddridge Co, WV**

**MWD Gamma / ROP**

Unique ID/API: **47-170-5988**

Company Representative

Surface Location: **Doddridge Co, WV**

Bo Murry

Country: **USA**  
State: **WV**

Geologist

Rig Name: **Savanna 654**

Dane Fischer

Latitude: **39°8'42.792 N**

Longitude: **80°48'51.271 W**

License/Permit#:

Directional Drillers

Job No: **1130521**

Jason Jones

Permanent Datum: **0**

Russell Harris

Drilling Measurement From: **0**

GL: **1166** Feet

KB: **1183** Feet

Spud Date: **-**

MWD Operator

Print Date: **September 14, 2011**

Anthony Akers

Log Start Depth: **6100** Feet

Noel Parker

Log End Depth: **9960** Feet

Eric Freeman

Bottom Hole Temp: **NA** °F

Leg Name

Main Leg

Comments:

PHOENIX TECHNOLOGY SERVICES LP (PHOENIX) DOES NOT MAKE AND EXPRESSLY DISCLAIMS ALL WARRANTIES, REPRESENTATIONS AND CONDITIONS, WITH RESPECT TO THE INFORMATION CONTAINED IN THIS DOCUMENT, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED OR ARISING FROM CONTRACT OR STATUTE INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, ACCURACY AND FITNESS FOR A PARTICULAR PURPOSE. ANYONE USING THIS INFORMATION DOES SO AT THEIR OWN RISK AND ACKNOWLEDGES AND AGREES THAT PHOENIX SHALL NOT BE LIABLE FOR ANY ERROR, OMISSION, DEFECT, DELAY, OR INCONFORMITY IN THE INFORMATION AND WITHOUT LIMITING THE FOREGOING, PHOENIX DOES NOT WARRANT THAT THE INFORMATION OR THE USE THEREOF WILL BE FREE OF ALL ERRORS OR THAT IT DOES NOT INFRINGE ANY THIRD PARTY RIGHTS. ANYONE USING THE INFORMATION AGREES TO INDEMNIFY AND HOLD PHOENIX HARMLESS FROM ALL CLAIMS, ACTIONS, COSTS (INCLUDING LEGAL COSTS) ON A SOLIDATION AND HSJOWN CLIENT BASIS, AND LIABILITIES ARISING FROM OR IN CONNECTION WITH THE USE OF THE INFORMATION.

BitRun:	1	2
Start Depth (ft):	6100	7158
End Depth (ft):	7158	9669.05
Start Date:		2011.09/12
End Date:	2011.09/11	2011.09/14
Gamma Scale Factor:	4.031	4.031
Stoney-b-Bit (PTB):	56	56
Gamma-b-Bit (GTB):	51	51
Tool Carrier ID (ft):	2.875	2.875
Tool Carrier OD (ft):	5	5
Hole Size (ft):	8.5	7.875
Casing Size (ft):	9.625	9.625
Casing Start Depth (ft):	0	0
Casing End Depth (ft):	0	0
Mud Type:	WBM	WBM
Mud Weight (lb/gal):	12.1	12.1
Mud Viscosity:	41	41
KCL Correction Factor:	0.000	0.000
Mud KCL Content (%):	0.0001	0.0001
Comment:	-	-

BitRun:		
Start Depth (ft):		
End Depth (ft):		
Start Date:		
End Date:		
Gamma Scale Factor:		
Stoney-b-Bit (PTB):		
Gamma-b-Bit (GTB):		
Tool Carrier ID (ft):		
Tool Carrier OD (ft):		
Hole Size (ft):		
Casing Size (ft):		
Casing Start Depth (ft):		
Casing End Depth (ft):		
Mud Type:		
Mud Weight (lb/gal):		
Mud Viscosity:		
KCL Correction Factor:		
Mud KCL Content (%):		
Comment:		





EQT  
512882  
Doddridge Co, WV  
1130521

**MD**  
**1:240**  
**Feet**

0	Gamma (API)	250
250	Gamma (API)	500
500	Gamma (API)	750

0	ROP (ft/hr)	200
200	ROP (ft/hr)	400



MD: 6100  
INC: 6.7  
AZM: 60.9

MD: 6120  
INC: 7.7  
AZM: 79.3

MD: 6152  
INC: 8.7  
AZM: 105.6

MD: 6184  
INC: 9.5  
AZM: 115.8

MD: 6215  
INC: 9.9  
AZM: 121.8


MD: 6247 | INC: 10.6 | AZM: 136.4


MD: 6279 | INC: 13.4 | AZM: 144.6


MD: 6310 | INC: 16.4 | AZM: 143.5




**PHOENIX**  
**TECHNOLOGY SERVICES**








































MD: 9612 | INC: 89.8 | AZM: 155.4

MD: 9675 | INC: 90.5 | AZM: 156.6

MD: 9739 | INC: 91.3 | AZM: 157.9



